

MATERIAL SAFETY DATA SHEET (MSDS)



# This sheet is regulated appropriate to "Regulation On Preparation And Distribution Of Safety Data Sheets Of Hazardous Substances and Mixtures" dated December 26th, 2008, reiterated No. 27092, of the Ministry of Environment and Forestry.

# 1. SUBSTANCE/MIXTURE AND COMPANY IDENTIFICATION

# **1.1. IDENTIFICATION OF SUBSTANCE/MIXTURE**

<b>Commercial Name</b>	W-FIX-GRANIFLEX / Adhesive For Tiles
Uses	Normal setting highly deformable improved cement based tile adhesive with
	reduced slip and extended open time (C2TES2 class)
Not Recommended	No proper information

Uses

# **1.2. SAFETY DATA SHEET SUPPLIER INFORMATION**

- SupplierNUR KİREÇ SAN. TİC. VE PAZ. LTD. ŞTİ.Address: Çimento Bulvarı No.13 Yüreğir / Adana/ TürkiyeTel: +90 322 332 96 46E-Mail: nurkirec@nurkirec.com.tr
- **1.3.CONTACT PERSON** NUR KİREÇ SAN. TİC. VE PAZ. LTD ŞTİ. Tel: +90 322 332 96 46

# **1.4. EMERGENCY PHONE NUMBERS**

Nur Kireç : +90 322 332 96 46 National Poison Information Center : 114 Emergency Medical Services: 112 Police : 155 Gendarme: 156

### 2. HAZARDS IDENTIFICATION

### 2.1. CLASSIFICATION OF SUBSTANCE/MIXTURE



Irritating to eyes.

Classification (27092 T.C.)

**Physical and Chemical Hazards** 

Human HealthSerious eye damage / irritation, Category 2Skin corrosion / irritation, Category 2

Skill collosion / initiation, category 2

Specific Target Organ Toxicity - Single exposure: Respiratory tract irritation, Category 3

#### Environment Not classified. Classification (T.C 28848/2013)

\* The full text of all (H) Clauses and (P) Phrases is given in Section 16.



MATERIAL SAFETY DATA SHEET (MSDS)



# 2.2. LABEL ITEMS

Special Labeling Of Certain Mixtures:See Section15 for labeling according to (T.C. 27092).Labeling According To T.C 28848/2013:-

# **2.3. OTHER HAZARDS**

There isn't another anticipated hazard.

# **3.INFORMATION ON COMPOSITION/INGREDIENTS**

#### **3.2. MIXTURE**

Substance or Mixture	Content	Symbol	CAS No.	EC No.
PORTLAND CEMENT	30-45%	-	65997-15-1	266-043-4
CALCITE	55-70%	GHS05, GHS07, H315, H318, H335	1317-65-3	207-439-9

\* The full text of all (H) Clauses is given in Section 16.

About Composition: Data is given in accordance with the recent T.C. and A.B. regulations.

#### **4. FIRST AID MEASURES**

#### **4.1. DESCRIPTION OF FIRST AID MEASURES**

Inhalation:	Immediately remove to fresh air contact. Consult a doctor if irritation persist.
Ingestion:	Do not allow vomiting. Rinse mouth immediately. Drink for several glasses of milk or
	water. Seek medical advice immediately
Skin:	Immediately remove contaminated clothing. Clean up contaminated clothing
	before reuse.
Eyes:	Wash immediately with water while holding eyelids open. If irritation persists,
	consult a doctor. Continue rinsing.

#### 4.2. ACUTE AND DELAYED IMPORTANT SYMPTOMS AND EFFECTS

Inhalation:	Irritation of the upper respiratory tract.
Ingestion:	Nausea, vomiting.
Skin Contact:	May cause redness, irritation and drying of the skin at long term contact.
Eye Contact:	Irritation of eyes and mucous membranes.

# 4.3. FIRST SIGNS FOR MEDICAL TREATMENT AND SPECIAL TREATMENT NEED

Special treatment is not recommended. Treat through symptoms.

### **5. FIRE FIGHTING MEASURES**

#### **5.1. FIRE EXTINGUISHERS**

Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog.



MATERIAL SAFETY DATA SHEET (MSDS)



# 5.2. SPECIAL HAZARDS ARISING FROM SUBSTANCE OR MIXTURE

## **5.3. RECOMMENDATIONS FOR FIREFIGHTERS**

Fight at a sheltered place or at a safe distance from the large/advanced fire. Do not forget the risk of reemergence risk of fire and explosion. Do not forget the risk of of toxic and corrosive gases occur. Ensure that people other than emergency personnel away from the fire area.

In case of minor fire, if the fire doesn't reach to the explosives, take away materails from the fire jumping area. Prevent the fire reach to the product using all possible fire-fighting equipments (water, fire extinguishing materials available).

Do not try to fight fires involving explosives. Evacuate all personnel to a predetermined safe area. Wear protective equipment and full protective clothing. Use respiratory apparatus, protective face mask, protective gloves and safety helmet while fire fighting.

#### 6. MEASURES OF FORMATION ACCIDENT

# 6.1. PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Wear protective clothing such as mentioned at Section 8 of this MSDS. Avoid contact with skin and eyes. Provide adequate ventilation.

#### **6.2. ENVIRONMENTAL PRECAUTIONS**

Do not discharge into drains, waterways or the ground.

#### 6.3. METHODS AND MATERIALS FOR STORAGE AND CLEANING

Attach necessary protective devices. Ventilate. Collect and close safely put into containers. Put containers to a sturdy/safe place.

#### **6.4. REFERENCES TO OTHER SECTIONS**

See Section 8 for personal protection. See Section 11 for additional information about damage to health. See Section 13 for waste disposal.

### 7. HANDLING AND STORAGE

# 7.1. PRECAUTIONS FOR SAFE HANDLING

Read and follow the manufacturer's recommendations. Avoid contact with skin and eyes. Do not eat, drink or smoke anything, during use. Consider the necessary chemical hygiene measures.

# 7.2. CONDITIONS FOR SAFE STORAGE INVOLVING DISPUTES

Keep away from foods, drinks and animal feeds. Protect it from physical damage or abrasion. Store it in a dry, cool and well-ventilated place. Do not store near heaters. Do not expose it to high temperatures. Keep away from strong shocks.

### 7.3. SPECIFIC LATEST USES

The identified uses for this product are detailed in Section 1.2.



MATERIAL SAFETY DATA SHEET (MSDS)



# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

# **8.1. CONTROL PARAMETERS**

Does not include substance with exposure limit.

# **8.2. EXPOSURE CONTROLS**

Personal Protective Equipment:



Process Conditions:	Provide eyewash station, safety shower.
Technical Measures:	Provide adequate ventilation. Pay attention to the occupational exposure limits and minimize the risk of dust inhalation. Explosion-proof general and local exhaust ventilation.
Respiratory Protection Measures:	Use appropriate respiratory protection. Does not require during transport and daily use.
Hand Protection Measures:	If there is danger of skin contact use suitable protective gloves. It is recommended to wear gloves made of nitrile rubber, PVA or viton. The most suitable glove must be chosen in consultation with the glove supplier. Glove supplier will inform about permeability / degradation time of glove material.
Eye Protection Measures:	Protective goggles/face shield is recommended.
Skin Protection Measures:	If there is danger of skin contact wear apron or protective clothing.
Health Precautions:	DO NOT SMOKE IN WORKING AREA! Do not eat, drink and smoke anything during use. Keep separate and wash contaminated clothing before reuse.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# 9.1. INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Grey Grains
DENSITY	$1,3 \pm 0,1 \text{ g/cm}^3$ (varies according to particle size)
SOLUBILITY	Soluble
ODOR	Odorless
MIXTURE pH	12,4 (Saturated Mixture)
BURNING POINT	-



MATERIAL SAFETY DATA SHEET (MSDS)



# 9.2. OTHER INFORMATION

#### **Technical Specifications**

TRANSVERSE DEFORMATION	S2 ≥ 5,0 mm
SLIP	≤ 0,5 mm
INITIAL ADHESION STRENGTH	≥ 1,0 N/mm <sup>2</sup>
ADHESION STRENGTH AFTER IMMERSION BY HEAT	≥ 1,0 N/mm <sup>2</sup>
ADHESION STRENGTH AFTER IMMERSION BY WATER	≥ 1,0 N/mm <sup>2</sup>
ADHESION STRENGTH AFTER FREEZE-THAW	≥ 1,0 N/mm <sup>2</sup>
ADHESION STRENGTH AFTER OPEN TIME	≥ 0,5 N/mm <sup>2</sup>
OPEN TIME	30 min.
REACTION TO FIRE	Class A1

#### **10. STABILITY AND REACTIVITY**

#### **10.1. REACTIVITY**

The product is stable under normal handling and storage conditions.

#### **10.2. CHEMICAL STABILITY/AVOID FROM**

Shock and physical damage.

- **10.3. HAZARDOUS REACTION POSSIBILITY** No information.
- **10.4. CONDITIONS TO BE AVOIDED**

#### **10.5. MATERIALS TO BE AVOIDED**

#### **10.6. HAZARDOUS DECOMPOSITION PRODUCTS**

#### **11. TOXICOLOGICAL INFORMATION**

Toxicological Information:	No information.
Inhalation:	May cause irritation to the respiratory system.
Ingestion:	May cause discomfort if swallowed. Gastro-intestinal disorders including nausea symptoms.
Skin Contact:	Prolonged and frequent contact may cause redness and irritation.
Eye Contact:	Irritating to eyes.

#### **12. ECOLOGICAL INFORMATION**

#### **12.1. TOXICITY**

Substances in the product are not classified as dangerous for the environment. However, it can no be ignored the possibility of huge amount spills or frequently occurring spills can be harm to the environment.



MATERIAL SAFETY DATA SHEET (MSDS)



# **12.2. PERSISTENCE AND DEGRADABILITY**

There is no information about the biodegradability of the product.

## **12.3. BIOACCUMULATION POTENTIAL**

There is no information about bioaccumulation of the product.

#### **12.4. MOBILITY IN SOIL**

Soluble in water.

#### 12.5. RESULTS OF PBT AND vPvB ASSESSMENT

Does not contain any components considered as PBT and vPvB.

#### **12.6. OTHER ADVERSE EFFECTS**

It may be hazardous to aquatic life.

# 13. DISPOSAL INFORMATION

**General Information:** Waste should be treated as subject to controlled waste. It should be disposed as shown by the local waste disposal authorities, in accordance with the provisions of Regulation No. 87/12028 at a licensed waste disposal area.

#### **13.1. WASTE PROCESSING**

Dispose of waste and residues in accordance with local authority requirements. Refer to the expert disposal companies.

#### **14. TRANSPORT INFORMATION**

#### LABEL FOR COURIER:

#### 14.1. UN NUMBER

GGVS, GGVE, ADR, RID Class :

#### **14.2. PROPER UN TRANSPORT NAME**

Proper UN transport name

#### **14.3. TRANSPORT HARMFULNESS CLASSES**

ADR/RID/ADN Class:	-
ADR/RID/ADN Class - Class 1:	-
ADR Label No:	-
IMDG Class:	-
ICAO Class:	-

#### **14.4. PACKAGING GROUP**

Not applicable.

#### **14.5. ENVIRONMENTAL DAMAGE**

None.



MATERIAL SAFETY DATA SHEET (MSDS)



# **14.6. SPECIAL PRECAUTIONS FOR USERS**

Not applicable.

# 14.7. PUBLIC TRANSPORTATION THROUGH ANNEX II OF MARPOL 73/78 AND THE IBC CODE

Not applicable.

# **15. REGULATORY INFORMATION**

# Labelling (27092 T.C.)



# **National Regulations**

- T.C. Ministry of Environment and Forest, Dated 26 December 2008, No. 27092, Classification of Hazardous Substances and Preparations, Packaging and Labelling Regulations.
- Dated December 11, 2013, No. 28848, Classification of Substances and Mixtures, Labelling and Packaging Regulation.
- Regulations on Production, Supply and Uses Restrictions of Certain Hazardous Substances, Mixtures and Goods.
- Regulation on Health and Safety Precautions of Works with Chemical Substances.
- Regulations on the Use of Personal Protective Equipment in the Workplace.
- Regulations on Control of Hazardous Wastes.
- No. 6331 Occupational Health and Safety Act.

## **16. OTHER INFORMATION**

Resources Information: Revision Information: Editor: Date of Issue: Date of Preparation:	This MSDS is arranged with the information received from the producer company. Rev.00 Handan KAVİ - Certified Safety Data Sheet Editor 14.09.2015 14.09.2015
Issue Number:	00
H315:	Causes skin irritation.
H318:	Causes serious eye damage.
H335:	May cause respiratory irritation.
P280:	Wear protective gloves / protective clothing / eye protection / face protection.
P305+P351+P338:	In case of contact with eyes, rinse carefully with water a few minutes. If easy and possible, remove contact lenses. Continue rinsing.



**MATERIAL SAFETY DATA SHEET (MSDS)** 



# **ADDITIONAL INFO**

This MSDS is valid for up to 3 years through the requirements of legislation. After this date, updated according to the new classification and labeling provisions, new version must be used.

# DISCLAIMER

This information relates only to the specific material and it should not be used for mixtures of this product with other materials or for any process. The information in this document is within the company's high level of knowledge and belief, accurate and reliable information as of the date indicated. To be convinced about the suitability of this information for their own use is user's own responsibility.